

Project:

Type:

Prepared By:

Date:



UPC: 0192552006002



### Features and Benefits

Produces rich and vibrant colors >90CRI

Energy efficient replacement for incandescent and halogen Reflector lamps

Constructed from durable plastic which lowers risk of breakage

Rated for use in enclosed and open fixtures in dry or damp locations

Frosted lens produces smooth diffuse light

Longer lifespan compared to legacy equivalents minimizes replacement and maintenance costs

ENERGY STAR Compliant, Title 20 Compliant

Dimmable with common dimmer types (check compatibility list)

### Technical Specifications

#### Performance

##### Product Type:

Reflector

##### Input Wattage:

7W

##### Typical Lumen Output:

650lm

##### Efficacy:

92.9 lm/W

##### Color Temperature:

2200K/3000K

##### CRI:

>90

##### L70 Lifespan:

15,000-Hour LED lifespan based on IES LM-70 results

##### Dimmable:

Yes

#### Compliance

##### UL Listed:

Suitable for damp locations

##### Enclosed Fixtures:

Suitable for use in enclosed fixtures

##### DLC Model Number:

R10077(BR30-7-922/30-WGD)

#### Construction

##### Bulb Shape:

BR30

##### Base Type:

E26

##### Endcap Material:

Polycarbonate

##### Enclosure Material:

Plastic

##### Beam Angle:

110°

#### Electrical

##### THD:

63.30%

### Technical Specifications (continued)

#### Electrical

**Power Factor:**

0.7

**Operating Temperature:**

-20°C - 45°C

**Input Voltage:**

120V

**Operating Frequency:**

60 Hz

#### Other

**Warranty (Years):**

RAB warrants that our LED products will be free from defects in materials and workmanship for a period of three (3) years from the date of delivery to the end user, including coverage of light output, color stability, driver performance and fixture finish. RAB's warranty is subject to all terms and conditions found at [rablighting.com/warranty](http://rablighting.com/warranty).

**Wattage Equivalency:**

65W Halogen

### Case and Pallet Dimensions

	QTY	LENGTH (in)	WIDTH (in)	HEIGHT (in)
CASE	12	16.1	12.1	16.1
PALLET	384	48	40	24.49

### Dimension

