



S21812

4.5G16.5/LED/WH/927/120V/E12/2

GENERAL SPECIFICATIONS

Shape:	G16.5
Wattage:	4.5W
Lumen Output:	350L
Color Temperature:	2700K
Base:	Candelabra



TECHNICAL SPECIFICATIONS

Wattage:	4.5W	CRI:	90CRI
Volts:	120V	Lumen Output:	350L
Incandescent Equivalent:	40W	Dimmable:	Yes-Dimmable
Shape:	G16.5	Dimming Function:	120V only
Filament:	LED	Burning Position:	Universal
Base:	Candelabra	Beam Spread:	320D
ANSI Base:	E12	Power Factor:	0.76
Finish:	White	Operating Temp:	-20C (-4F) to +45C (+113F)
Hours Rated:	15000H	Enclosure Rating:	Enclosed Rated Lamp
Color Temperature:	2700K	Safety Listing:	cETLus
		Technology:	LED
		Material:	Glass / Copper

DIMENSIONS

MOL:	3.11"
MOD:	1.97"
Weight:	0.075

LISTINGS

MAEDBS Regulatory Status:	Non Federally-Regulated
MAEDBS JA8 Add Date:	1/10/2023
MAEDBS Appliance Type:	State-regulated Light Emitting Diode Lamp
ES Lamp Category:	Decorative
Safety Listing:	cETLus
Location Rating:	Wet
Energy Star:	Yes
ES Unique ID:	ESID-2407334
FCC Compliant:	Yes
Title 20:	Yes
CEC Terse:	Lawful for sale in California
RoHS Compliant:	Yes

PACKAGING

Each UPC:	045923218125	Inner UPC:	20045923218129	Case UPC:	10045923218122
Each Quantity:	1	Inner Quantity:	12	Case Quantity:	24
Each Dimensions:	2.36 x 5.98 x 8.58"	Inner Dimensions:	15.00 x 13.58 x 9.61"	Case Dimensions:	15.16 x 13.74 x 19.37"

110 Heartland Blvd.
Brentwood, NY 11717
PH 631-243-2022
FX 631-243-2027

Distribution Centers
New York, Florida,
Texas, Washington,
California, Puerto Rico

National Toll-Free
800-43-SATCO
(800-437-2826)
www.satco.com

Copyright 2023
Satco Products, Inc.
All Rights Reserved
April 10, 2023

COMPATIBLE DIMMERS

Brand	Model #
Eaton	VSUL06D
Eaton	TAL06P-C2
Eaton	SUF7
Eaton	SAL06P
Eaton	DAL06P-C2
Eaton	RF9640-ND
Eaton	DUL06P-C2
LEGRAND	RHCL450PTC
LEVITON	6674
LEVITON	TSM10
LEVITON	TSL06
LEVITON	RNL06-10Z
LEVITON	IPL06
LEVITON	DZ6HD
LEVITON	DW6HD
LEVITON	DSM10
LEVITON	DSL06
LEVITON	6672
LEVITON	66ELV
LEVITON	DDMX1
LEVITON	DG6HD
LEVITON	DH6HD
LEVITON	DSL06-1LZ
LEVITON	DL6HD
LEVITON	DSE06-10Z
LUTRON	RRST-PRO-N
LUTRON	DVRP-253P
LUTRON	DVCL-253P
LUTRON	CTRP-253P
LUTRON	RRD-10D
LUTRON	RRD-6CL
LUTRON	RRD-6ND
LUTRON	RRD-H6BRL
LUTRON	RRD-PRO
LUTRON	DVCL-153P
LUTRON	CTCL-153P
LUTRON	SCL-153P
LUTRON	ST-PRO-N
LUTRON	TTCL-100H
LUTRON	STCL-153M
LUTRON	AYCL-253P
LUTRON	AYCL-153P
LUTRON	TGCL-153PH
LUTRON	MACL-153M
LUTRON	HQRA-PRO
LUTRON	HQRD-10D
LUTRON	HQRD-10NBD
LUTRON	HQRD-6ND
LUTRON	HQRD-HN6BRL
LUTRON	HQRD-PRO
LUTRON	HRST-PRO-N
LUTRON	LECL-153P
LUTRON	MA-PRO
LUTRON	RCL-153PNL
LUTRON	MACL-153M
LUTRON	MRF2S-6ELV

Brentwood, NY 11717

New York, Florida,

800-43-SATCO

Satco Products, Inc.

FX 631-243-2027

California, Puerto Rico

www.satco.com

April 10, 2023

Brand	Model #
LUTRON	MSCL-OP153M
LUTRON	NTCL-250
LUTRON	NTRP-250
LUTRON	PD-10NXD
LUTRON	PD-5NE
LUTRON	PD-6WCL
SATCO	S11268
SATCO	86/103

110 Heartland Blvd.
 Brentwood, NY 11717
 PH 631-243-2022
 FX 631-243-2027

Distribution Centers
 New York, Florida,
 Texas, Washington,
 California, Puerto Rico

National Toll-Free
 800-43-SATCO
 (800-437-2826)
www.satco.com

Copyright 2023
 Satco Products, Inc.
 All Rights Reserved
 April 10, 2023