



**S21869**

5ST19/CL/LED/927/E26/2CD

**GENERAL SPECIFICATIONS**

Shape:	ST19
Wattage:	5W
Lumen Output:	425L
Color Temperature:	2700K
Base:	Medium



**TECHNICAL SPECIFICATIONS**

Wattage:	5W	CRI:	90CRI
Volts:	120V	Lumen Output:	425L
Incandescent Equivalent:	40W	Dimmable:	Yes-Dimmable
Shape:	ST19	Dimming Function:	120V only
Filament:	LED	Burning Position:	Universal
Base:	Medium	Beam Spread:	300D
ANSI Base:	E26	Power Factor:	0.75
Finish:	Clear	Operating Temp:	-20C (-4F) to +45C (+113F)
Hours Rated:	15000H	Enclosure Rating:	Enclosed Rated Lamp
Color Temperature:	2700K	Safety Listing:	cETLus
		Technology:	LED
		Material:	Glass / Copper

**DIMENSIONS**

MOL:	5.43"
MOD:	2.28"
Weight:	0.168

**LISTINGS**

MAEDBS Regulatory Status:	Non Federally-Regulated
MAEDBS JA8 Add Date:	1/10/2023
MAEDBS Appliance Type:	State-regulated Light Emitting Diode Lamp
ES Lamp Category:	Decorative
Safety Listing:	cETLus
Location Rating:	Wet
Energy Star:	Yes
ES Unique ID:	ESID-2408018
FCC Compliant:	Yes
Title 20:	Yes
CEC Terse:	Lawful for sale in California
RoHS Compliant:	Yes

**PACKAGING**

Each UPC:	045923218699	Inner UPC:	20045923218693	Case UPC:	10045923218696
Each Quantity:	1	Inner Quantity:	12	Case Quantity:	24
Each Dimensions:	2.56 x 5.98 x 10.31"	Inner Dimensions:	16.23 x 13.58 x 11.38"	Case Dimensions:	16.39 x 13.74 x 22.91"

110 Heartland Blvd.  
Brentwood, NY 11717  
PH 631-243-2022  
FX 631-243-2027

Distribution Centers  
New York, Florida,  
Texas, Washington,  
California, Puerto Rico

National Toll-Free  
800-43-SATCO  
(800-437-2826)  
www.satco.com

Copyright 2023  
Satco Products, Inc.  
All Rights Reserved  
April 10, 2023

## COMPATIBLE DIMMERS

Brand	Model #
Eaton	VSUL06D
Eaton	TAL06P-C2
Eaton	SUF7
Eaton	DAL06P-C2
Eaton	RF9640-ND
Eaton	DUL06P-C2
LEGRAND	RHCL450PTC
LEVITON	6674
LEVITON	TSM10
LEVITON	TSL06
LEVITON	RNL06-10Z
LEVITON	IPL06
LEVITON	DZ6HD
LEVITON	DW6HD
LEVITON	DSM10
LEVITON	DSL06
LEVITON	6672
LEVITON	DDL06
LEVITON	DG6HD
LEVITON	DH6HD
LEVITON	DL6HD
LEVITON	DSL06-1LZ
LEVITON	DSE06-10Z
LUTRON	RRD-PRO
LUTRON	RCL-153PNL
LUTRON	DVCL-253P
LUTRON	DVCL-153P
LUTRON	CTRP-253P
LUTRON	RRD-10D
LUTRON	RRD-6CL
LUTRON	RRD-6ND
LUTRON	RRD-H6BRL
LUTRON	TTCL-100H
LUTRON	RRST-PRO-N
LUTRON	SCL-153P
LUTRON	ST-PRO-N
LUTRON	STCL-153M
LUTRON	CTCL-153P
LUTRON	AYCL-253P
LUTRON	TGCL-153PH
LUTRON	AYCL-153P
LUTRON	PD-5NE
LUTRON	HQRA-PRO
LUTRON	HQRD-10D
LUTRON	HQRD-10NBD
LUTRON	HQRD-6ND
LUTRON	HQRD-HN6BRL
LUTRON	HQRD-PRO
LUTRON	HRST-PRO-N
LUTRON	DVRP-253P
LUTRON	LECL-153P
LUTRON	MA-PRO
LUTRON	MACL-153M
LUTRON	MACL-LFQ
LUTRON	MRP253BLV
LUTRON	MSCL-OP153M

Brentwood, NY 11717

New York, Florida,

800-43-SATCO

Satco Products, Inc.

FX 631-243-2027

California, Puerto Rico

www.satco.com

April 10, 2023

Brand	Model #
LUTRON	NTCL-250
LUTRON	NTRP-250
LUTRON	PD-10NXD
LUTRON	PD-6WCL
SATCO	S11268
SATCO	86/103

110 Heartland Blvd.  
 Brentwood, NY 11717  
 PH 631-243-2022  
 FX 631-243-2027

Distribution Centers  
 New York, Florida,  
 Texas, Washington,  
 California, Puerto Rico

National Toll-Free  
 800-43-SATCO  
 (800-437-2826)  
[www.satco.com](http://www.satco.com)

Copyright 2023  
 Satco Products, Inc.  
 All Rights Reserved  
 April 10, 2023